

INDEX MAPS.

T. 34 N. R. 5 W. 2nd Mer.

	248		248		247		247		247		246	
250	6	271	5	265	4	261	3	258	2	254	1	246
	271		270		265		261		257		254	
250	7	270	8	264	9	260	10	257	11	253	12	246
	269		269		264		260		256		253	
249	18	269	17	263	16	260	15	256	14	253	13	245
	268		268		263		259		256		252	
249	19	268	20	263	21	259	22	255	23	252	24	245
	267		267		262		259		255		252	
249	30	266	29	262	28	259	27	255	26	251	25	245
	266		266		262		258		254		251	
248	31	265	32	262	33	258	34	254	35	250	36	244
	244		244		243		243		243		243	

T. 35 N. R. 5 W. 2nd Mer.

	282		280		280		279		279		278	
283	6	301	5	297	4	293	3	289	2	286	1	278
	303		301		297		293		289		286	
282	7	300	8	297	9	292	10	289	11	286	12	278
	303		300		296		292		288		285	
282	18	300	17	296	16	292	15	288	14	285	13	278
	302		299		295		291		288		285	
282	19	299	20	295	21	291	22	288	23	284	24	277
	302		298		295		291		287		284	
281	30	298	29	294	28	290	27	287	26	284	25	277
	302		298		294		290		287		284	
281	31	298	32	294	33	290	34	287	35	283	36	277
	276		276		276		275		275		275	

Meanders - 305

Meanders—305

The figures on the lines refer to the page.

275

no
Township 35 North Range 5 West, 2nd Mer. Ind?

C. S.

South Boundary.

Var. 5° 45' E.

West On S. side sec. 36
10.05 a Y. Oak 19 in. dia.,
17.50 Entered wet prairie
40.00 Set gr. sec. post in Do. no bearings
80.00 Set post cor. sec. 35 & 36 from which
a Red Oak 11 in. dia. bears N 4 3/4 W 752 ft.,
+ a Do. 9 " " " N 5 3/4 E 755 "
Land mostly a wet prairie some parts
very marshy & generally no water.

West On S. side of sec 35
40.00 Set gr. sec. post from which
a Y. Oak 18 in. dia. bears S 58 W 470 ft.,
no other
47.00 To Crooked creek 60 ft. wide cr. S.
& Entered marsh
80.00 Set post cor. sec. 34 & 35 from which
a Red Oak 6 in. dia. bears N 7 1/2 E 998 ft.,
no other.
E. of creek land similar but dryer
W. " Do. a springy level marsh

West On S. side of sec. 34
27.50 Leave marsh
27.81 a W. Oak 8 in. dia.,
32.40 Enter a marsh
40.00 Set gr. sec. post from which
a W. Oak 14 in. dia. bears N 35 1/2 E 716 ft. dist.,
a Y. Oak 17 " " " N 89 1/4 W 827 " "
46.00 Leave marsh
76.77 a Y. Oak 16 in. dia.,
77.50 Enter marsh
80.00 Set post cor. sec. 33 & 34 from which
a W. Oak 18 in. dia. bears N 54 3/4 E 204 ft. dist.

T. 35 N. R. 5 W. 2nd Mer. Ind^o

6. S. & a Red Oak 9 in. dia, bears S 81 $\frac{1}{2}$ E 220 lks.
Land except marsh rolling barren, thin
soil & well timbered with W & Y Oak

West On S. side sec. 33,

20.50 Leave marsh & enter dry prairie

25.40 To state road from Moiv. City to Lafayette S.W.

40.00 Set gr. sec. post in dry prairie
where raise a mound

80.00 Set post cov. sec. 32 & 33 in prairie
where raise a mound
up land dry prairie rolling 2 $\frac{1}{2}$ miles &

West On S. side of sec. 32

37.00 Enter a marsh

40.00 Set gr. sec. post in marsh 3 in. water
where raise a mound

45.50 Leave the marsh

80.00 Set post cov. sec. 31 & 32 from which
a B. Oak 12 in. dia, bears N 70 $\frac{1}{2}$ W 875 lks,
& Raise a mound,
Land &c. same as on last mile,

West On S. side of sec. 31 -

30.00 Leave prairie

40.00 Set gr. sec. post from which
a Br. Oak 17 in. dia, bears N 83 $\frac{1}{2}$ W 89 lks. 7 in,
& a " Do. 5 " " " N 43 $\frac{1}{4}$ W 86 " "

41.24 a Br. Oak 14 " "

81.11 Intersect W. boundary at 5.78.88 lks. where
set post cov. Towns 34 & 35 N. Ranges 5 & 6 W,
a Br. Oak 9 in. dia, bears, N 23 $\frac{1}{2}$ W 83 lks. 9 in,
& a Y. Oak 19 " " " N 34 E 126 " "

From prairie rolling good soil thirty tim,
with mostly small Br. Oak & Hickory
Surveyed February 10th 1834 by
Robert Clark Jr. Dep. Sur.

C. L.

East Boundary.

Var. 6° 10' E,

North On E. side of sec. 36
 6.48 a Y. Oak 14 in. dia.
 40.00 Set q^r. sec. post from which
 a Y. Oak 20 in. dia. bears S 37° W 64 lks. dist,
 & a Br. Oak 7 " " " West 66 " "
 42.34 a Hickory 16 " "
 80.00 Set post cor. sec. 25 & 36 from which
 a Y. Oak 18 in. dia. bears S 35° E 218 lks. dist,
 & a Hickory 16 " " " N 73 1/4° E 200 " "
 Land level good soil South 50 chs. well
 timbered with Hickory Br. Y & W Oak &
 East 30 chs along E. margin of marsh

North On E. side of Sec. 25
 12.00 Enter a marsh
 40.00 Set q^r. sec. post from which
 a Br. Oak 5 in. dia. bears S 75 1/4° E 395 lks.,
 & a " Do. 8 " " " N 62° E 316 " dist,
 80.00 Set post cor. sec. 24 & 25 from which
 a Y. Oak 20 in. dia. bears N 3 1/2° W 529 lks.,
 & a Hickory 8 " " " N 42 1/2° E 438 " dist,
 all marsh not very wet timber. close on E,

North On E. side of sec. 24
 4.00 Leave marsh
 7.19 a Br. Oak 10 in. dia.,
 40.00 Set q^r. sec. post from which
 a Br. Oak 6 in. dia. bears N 4 1/2° W 41 lks.,
 & a " Do. 8 " " " S 50° W 27 " dist,
 57.18 a Br. Oak 8 " "
 80.00 Set post cor. sec. 13 & 24 from which
 a Y. Oak 17 in. dia. bears S 18° W 76 lks. dist,
 & a Br. Oak 8 " " " N 74 1/2° W 370 " "
 N. of marsh level Br. Oak land thinly timbered

^{up} T. 35 N. R. 5 W. 2nd Mer. Ind. a

North On the E. side of sec. 13
 17.11 To a Br. Oak 12 in. dia,
 21.00 To state road from North city to Lafayette S.W.
 40.00 Set gr. sec. post from which a
 Br. Oak 7 in. dia. bears S 84° W 119 lks. dist
 & a Do. 10 " " " N 24° W 290 " "
 75.30 To an Indian trail cr. S.W. & enters marsh
 80.00 Set post cor. sec. 12 & 13 from which
 a Y. Oak 17 in. dia. bears S 24° W 641 lks. dist,
 & a Do. 16 " " " S 73° E 327 " "
 Land &c. similar. Feby, 18th -

North On E. side of sec. 12,
 40.00 Set gr. sec. post in marsh
 where raise a mound
 80.00 Set a post cor. sec. 1 & 12 in marsh
 where raise a mound
 Land a shaking marsh & strong indications
 of iron ore on East (N^e) of this mill. This
 marsh extends to Hankaker river S.E. direction
 and is from 1 to 3 miles wide,

North On E. side of sec. 1
 40.00 Set gr. sec. post in marsh
 where raise a mound
 66.40 To township corner. Indications of
 iron ore on S. 20.00. (Var. 6° 10' E.)
 February 10th 1835. Surveyed by
 Robert Clark, Jr. Dep. Sur.

North Boundary.
 Var. 47° 39' E.

West On S. side Sec. 36 T. 36 N. R. 5 W.
 30.25 To crooked creek 20 lks. wide cr. S.
 40.00 Set gr. sec. post from which
 a W. Oak 18 in. dia. bears N 52° W 336 lks.

279

T. 35 N. R. 5 W. 2nd, Nev. Ind.^a

C. L. No other bearing tree.
 42.00 Leave marsh
 69.03 a B. Oak 16 in. dia.
 73.32 a Y. Oak 16 " " (dead)
 80.00 Set post cov. sec. 35 & 36 from which
 a B. Oak 16 in. dia. bears N 87 E 65 th. dist,
 & a W. Ash 14 " " " N 78 W 58 " "
 W $\frac{1}{2}$ of marsh - land rolling 1st rate
 timber Sugar Oak ash Lyron W. & V. Walnut
 Sassafras Spruce &c. in.

West On S. side of sec. 35 T. 36 N. R. 5 W.
 8.50 Wagon road from Door to Morgan prairie Sw.
 36.40 a Sugar 18 in. dia.
 40.00 Set gr. sec. post from which
 a Sugar 14 in. dia. bears N 33 W 23 th. dist,
 & a Beech 20 " " " N 76 E 61 " "
 52.24 a Beech 12 " "
 80.00 Set post cov. sec. 34 & 35 from which
 a Sugar 20 in. dia. bears N 53 E 68 th. dist,
 & a Hickory 5 " " " N 36 W 8 " "
 Land & timber similar a good deal of Beech

West On S. side sec. 34 T. 36 N. R. 5 W.
 4.00 Barren
 20.00 Marsh
 39.00 Leave Do.
 40.00 Set gr. sec. post in thicket from which
 a W. Oak 5 in. dia. bears N 39 W 24 th. dist,
 & a Spruce 14 " " " N 71 E 126 " "
 67.15 a Beech 14 " "
 72.83 a Sugar 12 " "
 80.00 Set post cov. sec. 33 & 34 from which
 a Beech 14 in. dia. bears N 64 E W 65 th. dist,
 & a Do 16 " " " N 89 E 41 " "
 Barren thin, marsh wet. E & W. of Do. rolling.

T. 35 N. R. 5 W. 2nd. Nov. Ind.

C. L. rolling 4th rate & the timber is Sugar
Lynx, Walnut, ash Elm, Beech &c

Met On S. side Sec. 33 T. 36 N. R. 5 W.

11.79 a Beech 18 in. dia.

35.70 a Brook 3 M. wide ex. N. W.

40.00 Set g^r. sec. post from which

a Beech 18 in. dia. bears N 03 W 45 M. dist.

& an Elm 17 " " " N 39 E 66 " "

Land rolling sec. rate Oak Beech Sugar

Lynx Elm Ash &c.

72.80 a W. Oak 2nd in. diam

73.45 an Aspen 17 in. dia.

80.00 Set post cor. sec. 32 & 33 from which

a B. ash 18 in. dia. bears N 85 W 14 M. dist.

& an Elm 5 " " " N 33 E 22 " "

Land rolling 2nd rate & the timber is

Oak, Beech, Sugar Lynx Elm Ash &c

Met On S. side Sec. 32 T. 36 N. R. 5 W.

34.26 an Ironwood 5 in. dia.

36.46 a Lynx 10 " "

40.00 Set g^r. sec. post from which

an Ironwood 12 in. dia. bears N 30 W 28 M.

& an R. Oak 17 " " " N 64 E 60 "

68.58 an Elm 14 in. dia.

80.00 Set post cor. sec. 31 & 32 from which

a Sugar 16 in. dia. bears N 45 W 52 M. dist.

& a Hickory 15 " " " N 22 E 32 " "

Land &c. same as on last mile,

Met On S. side Sec. 31 T. 36 N. R. 5 W.

18.10 a W. Oak 16 in. dia.

30.70 an Indian Trail ex. S.

32.58 a W. Oak 15 in. dia.

40.00 Set g^r. sec. post from which

a W. Oak 14 in. dia. bears N 64 W 56 M. dist.

T. 35 N. R. 5 W. 2nd Mer. Ind.

6. 00 a W. Oak 15 in. dia, bears N 29 E 31 th. dia,
58.00 Cranberry swamp. & Tamarac —
81. 89 To W. boundary at 5.75.00 - set post,
cor. Towns 35 & 36 N. Ranges 5 & 6 W. from wh.,
a W. Oak 16 in. dia, bears N 57 1/2 W 254 th. dia,
+ a W. Oak 17 " " " S 27 E 210 " "
Land high & rolling & mostly heavily timbered
barrens - W. Oak &c. (V. 4th 39 E.)
February 25th 1835. Surveyed by
Robert Clark Jr. Dep. Sur.

West Boundary.

(Var. 6° E.)

North On E. side sec. 36 T. 35 N. R. 6 W.
29.00 Ent. marsh
39.00 Leave the Do.
40.00 Set gr. sec. post from which
a Y. Oak 16 in. dia, bears S 48 1/2 W 78 th. dia,
+ a W. Oak 16 " " " N 51 W 29 " "
73.40 a Hickory 8 " "
80.00 Set post cor. sec. 25 & 36 from which
a Br. Oak 14 in. dia, bears S 47 1/2 W 33 th. dia,
+ a Do. 14 " " " N 71 W 52 " "
Land rolling barrens good soil thinly
timbered mostly Br. Oak —

North On E. side sec. 25 T. 35 N. R. 6 W.
14.50 a Brook cr. N.W.
20.77 a Y. Oak 16 in. dia,
34.50 a trail cr. N.E.
40.00 Set gr. sec. post from which
a Br. Oak 11 in. dia, bears N 44 W 20 th. dia,
+ a Do. 16 " " " S 59 1/2 W 79 " "
47.10 a W. Oak 24 in. dia,
47.50 Enter marsh
60.00 Leave Do. spring.

T. 35 N. R. 5 W. 2nd Mer. Ind.

80.00 Set post cor. Sec. 24 & 25 from which
 a Hickory 9 in. dia, bears S $27\frac{1}{2}$ W 158 ths. dist,
 W. Oak 16 " " " N $84\frac{1}{2}$ W 72 " "
 Land &c. similar to last mile, rolling.

North On E. side Sec. 24 T. 35 N. R. 6 W.
 40.00 Set gr. sec. post from which
 a Br. Oak 36 in. dia, bears N $39\frac{1}{4}$ W 19 ths. dist,
 & a Do. 17 " " " S $17\frac{3}{4}$ W 187 " "
 41.00 a Brook 10 ths. wide on S. E. not durable
 & Enter rich timbered land
 70.97 a W. ash 10 in. dia,
 80.00 Set post cor. Sec. 13 & 24 from which
 a R. Oak 18 in. dia, bears N 85 W 36 ths. dist,
 & W. ash 16 " " " S 60 W 30 " "
 S. of brook land &c. similar N. of brook
 gently rolling 1st rate. Timber Sugar Pine
 Ash, Elm &c

North On E. side Sec. 13 T. 35 N. R. 6 W.
 36.40 an aspen 18 in. dia,
 28.50 Leave heavy timbered land
 40.00 Set gr. sec. post from which
 a Red Oak 7 in. dia, bears N $88\frac{1}{2}$ W 131 ths. dist
 & a Hickory 7 " " " S $12\frac{1}{2}$ W 92 " "
 44.00 Ent. marsh from 1 to 5 ch. wide E. to W. -
 78.00 Leave Do. } water from E. N. E. runs to S. W.
 80.00 Set post cor. Sec. 12 & 13 from which
 a Br. Oak 18 in. dia, bears S $53\frac{1}{4}$ W 120 ths. dist,
 & Do. 14 " " " N $71\frac{1}{2}$ W 44 " "
 Timbered land similar N. of Do. low & wet

North On E. side Sec. 12 T. 35 N. R. 6 W.
 14.50 Ent. marsh
 25.00 Leave Do.
 40.00 Set gr. sec. post from which

T. 35 N. R. 5 W. 2nd Mer. Ind.

C. L. a G. Oak 16 in. dia. bears N 107 1/4 W 256 ths,
 to W. Oak 9 " " " S 48 W 7 " dit,
 45.00 Ent. marsh
 57.50 Leave Do,
 65.68 a W. Oak 13 in. dia.,
 68.18 " Do. 10 " "
 80.00 Set post cor. sec. 1 & 12 from which
 an aspen 8 in. dia. bears S 19 W 80 ths. dit,
 to G. Oak 16 " " " N 72 1/2 W 81 " "
 Dry land rolling bearing 2nd rate soil
 W. G. & B. Oak timber

North On E. side sec. 1 T. 35 N. R. 6 W.
 5.00 Enter marsh
 13.00 Leave Do,
 15.24 a W. Oak 10 in. dia.,
 26.00 To Lake & set post from which
 a W. Oak 11 in. dia. bears S 86 33 ths. dit,
 to G. Oak 17 " " " N 87 W 33 " "
 40.00 Dr. sec. cor. in Lake
 47.27 Over Lake & set post from which
 a W. Oak 17 in. dia. bears N 84 E 28 ths. dit,
 to G. Oak 14 " " " N 63 3/4 W 24 " "
 69.43 a W. Oak 4 " "
 71.50 To Cranberry marsh
 75.00 " Town corner,

Dry land well timbered - Oak bearing
 July, 11 & 13th 1835. This line was random,
 as well as the 6 1/2 miles N. of it to the old
 boundary line -

Surveyed by

Robert Clark Jr. Dep. Sur.

Subdivisions.

Var.

North Between sections 35 & 36

T. 35 N. R. 5 W. 2nd New. Ind.^a

40.00	Set gr. sec. post in prairie where raise a mound
80.00	Set post cor. sec. 25, 26, 35 & 36 a J. Oak 18 in. dia, bears S 64° W 11.47 lks. 9 in. La Do, 18 " " " N 62½° W 454 " " Land, marsh prairie, marsh grass & small willow & —
East	On Random between sec. 25 & 36
79.92	To E. line of town 34 lks. N. of post Land, marsh & water 1 ft. deep in places
West	Correct line between sec. 25 & 36
39.96	Set gr. sec. post. & raise mound
79.92	To sec. corner,
North	Between sections 25 & 26
40.00	Set gr. sec. post. in prairie where raise a mound
80.00	Set post cor. sec. 23, 24, 25 & 26 where raise a mound Land wet low prairie
East	On Random between sec. 34 & 25
79.85	Intersect E line of town 76 lks. N. of post W½ wet prairie E½ marsh production marsh grass & small willow —
West	Correct line between sec. 24 & 25
39.92½	Set gr. sec. post in water. no bearings
79.85	To sec. corner,
North	Between sections 23 & 24
40.00	Set gr. sec. post from which a Hickory 10 in. dia. bears S 44½° E 339 lks. & J. Oak 12 " " " S 78¾° E 200 "

T. 35 N. R. 5 W. 2nd Mer. Ind. a

53.00 To point of J. Oak grove
 64.93 " Crooked creek 25 lks. wide en. S,
 80.00 Set post cor. sec. 23.24.13 & 14 from wh.
 a J. Oak 15 in. dia. bears N 56° E 430 lks. dist.
 & a Do. 15 " " " N 21° E 509 " "
 Land marsh prairie grass & willow.

East On Random between sec. 13 & 24
 5.50 To Crooked creek corner S,
 11.50 J. Oak Ridge. scrubby poor soil
 15.00 Entered a marsh
 70.50 Leave Do. & Enter barrens Oak &c.
 79.68 To E. boundary 94 lks. N. of post,
 1/2 marsh water 2 ft. deep in places
 2/3 barrens. —

West Correct line between sec. 13 & 24
 39.84 To gr. post in water
 79.68 To sec. corner,

North Between sections 13 & 14
 40.00 Set gr. sec. post in water
 80.00 Set post cor. sec. 11.12.13 & 14 from which
 a J. Oak 18 in. dia. bears N 71° E 350 lks. dist.
 & a Do. 18 " " " N 73° W 200 " "
 Marsh prairie water in places 10 in. deep

East On Random between sec. 12 & 13
 30.00 To Crooked creek en. S. & W.
 79.64 " Range line 124 lks. N. of post
 Land marsh water in places 2 ft. deep

West Correct line between sec. 12 & 13,
 39.82 Set gr. sec. post in water
 79.64 To sec. corner,

T. 35 N. R. 5 W. 2nd Mer. Ind.^a

North Between sections 11 & 12

- 5.29 a W. Oak 8 in. dia.
 30.00 " field W. of line 10 chs.
 40.00 Set gr. sec. post from which
 a W. Oak 30 in. dia. bears N 70 $\frac{3}{4}$ W 145 ths.
 & a Do. 45 " " " N 52 E 55 "
 50.00 Entered thick timber
 60.27 a B. Walnut 24 in. dia.
 70.75 Hickory road en. S. of W.
 80.00 Set post cor. sec. 1, 2, 11 & 12 from which
 a R. Oak 15 in. dia. bears S 89 W 11 ths. dist.
 & a Do. 8 " " " N 36 $\frac{3}{4}$ E 53 " "
 Rolling land rich soil Walnut & Sugar.

East On Random between sec. 1 & 12

- 12.25 Hickory ck. Road en. S. W.
 12.50 Entered Marsh prairie
 54.87 Crooked creek en. W. of T.
 79.68 Intersect Range line 134 ths. E. of post
 Land chiefly marsh water 2 ft. deep in places

West Correct line between sec. 1 & 12

- 39.84 Set gr. sec. post in water
 79.68 To sec. corner,

North Between sections 1 & 2

- 29.30 Hornwood 6 in. dia.
 36.38 Beech 24 " "
 40.00 Set gr. sec. post from which
 a Beech 15 in. dia. bears N 14 W 23 ths. dist.
 & a Lyrus 4 " " " N 38 E 33 " "
 57.08 an Elm 30 " "
 66.67 To N. boundary 4 ths. E. of post,
 where set post cor. sec. 1 & 2.
 a Beech 8 in. dia. bears S 14 E 49 ths. dist.
 & Sugar 30 " " " S 50 $\frac{1}{2}$ W 7 " "

T. 35 N. R. 5 W. 2nd Mer. Ind.

C. L. Soil 1st rate gently rolling timber oak
Sugar. Beech Walnut Elm &c, mud. 5th
Lawrence &c. June 14 - 1834.

North Between sections 34 & 35

40.00 Set gr. sec. post in water

80.00 Set post cor. Sec. 26 & 27. 34 & 35 in water
all marsh water 2 ft. deep in places

East On Random between sec. 26 & 35

41.12 To Crooked creek 43¹/₂ m. wide cr. W of S.

45.00 " Oak ridge

50.00 Entered a marsh

80.50 Intersect E line of sec. 45 m. S. of post
Land marsh prairie covered with grass.

West Correct line between sec. 26 & 35

40.25 Set gr. sec. cor. in water

80.50 To sec. corner,

North Between sections 26 & 27

40.00 Set gr. sec. post - Raise a mound

80.00 Set post cor. sec. 22. 23. 26 & 27

where raise a mound

Land marsh prairie

East On Random between sec. 23 & 26

30.08 Crooked creek 38¹/₂ m. wide cr. W of S.

48.00 To an Oak ridge

73.00 Enter marsh

80.40 To E. line of sec. 36 m. S. of post
Scattering Hickory & oak &c. marsh &c.

West Correct line between sec. 23 & 26

13.10 a Hickory 12 in. dia,

40.20 Set gr. sec. post in water.

T. 35 N. R. 5 W. 2nd. New, Ind?

80.40 To sec. corner,

North Between sections 22 & 23,

40.00 Set gr. sec. post - in mound

51.00 Entered dry prairie

75.00 Entered marsh

75.50 a Brook 8th, wide cr. S. E,

80.00 Set post cor. sec. 14, 15, 22 & 23,

where raise a mound
Dry prairie 2nd rate rolling broken
prairie grass & marsh covered with grass,

East On Random between sec. 14 & 23

33.50 a Brook 8th, wide cr. S,

80.70 To E. line of sec. 14th, N. of post,
marsh & low wet land, & some
scattering Oak shrubs -

West Correct line between sec. 14 & 23

40.35 Set gr. sec. post - in mound

80.70 To sec. corner,

North Between sections 14 & 15

32.50 a Brook 6th, wide cr. S. W,

40.00 Set gr. sec. post - in a mound

80.00 Set post cor. sec. 10, 11, 14 & 15

where raise a mound
marsh prairie coarse & rough grass.
15th June - 1834.

East On Random between sec. 11 & 14

45.00 Entered Br. Oak barrens

80.64 To E. line of sec. 19th, S. of post,
7¹/₂ marsh - E¹/₂ Br. Oak barrens
& 2nd rate land

T. 35 N. R. 5 W. 2nd Mer. Ind^a

West correct line between sec. 11 & 14
 40.32 Set gr. sec. post from which
 a W. Oak bears N 61° E 250 lks. dist.
 80.64 To sec. corner,

North Between sections 10 & 11
 40.00 Set gr. sec. post in prairie
 where raise a mound
 80.00 Set post cor. sec. 2, 3, 10 & 11 in prairie
 where raise a mound
 Land marsh prairie & fine grass.

East On Random between sec. 2 & 11
 8.00 To W. Oak Barrens
 20.00 " thick-timbered
 55.00 " Sugar camp
 80.60 Intersect E. line of sec. 6 lks. S. of post
 W¹/₂ Barrens & marsh E¹/₂ rich soil &
 gently rolling, Sugar, Beech, Walnut &c.

West correct line between sec. 2 & 11
 11.19 a Sugar 34 in. dia.
 40.30 Set gr. sec. post from which
 a Beech 30 in. dia. bears N 34° W 45 lks. dist.
 & a Sugar 34 " " " S 22° E 30 " "
 80.60 To sec. corner,

North Between sections 2 & 3,
 18.00 Enter barrens
 33.82 a Br. Oak 8 in. dia.
 40.00 Set gr. sec. post from which
 a Br. Oak 8 in. dia. bears N 42° E 80 lks. dist.
 & a W. Oak 20 " " " S 40° E 137 " "
 45.00 Enter heavy timber
 52.82 a R. Oak 30 in. dia.
 68.57 Intersect N. boundary 82 lks. West of post

^{up} T. 35 N. R. 5 W. 2nd. Nov. Ind.^a

C. L. where set post cor. sec. 2 & 3 from which
 a Br. Walnut 6 in. dia. bears S 64 E 27th M. dist.
 & Lynn 30 " " " S 52 " "
 N¹/₂ rich soil gently rolling Br. Oak Lynn
 Walnut Elm & —

North Between sections 33 & 34

5.56 Enter Br. & W. Oak barrens
 15.70 a Br. Oak 8 in. dia.
 40.00 Set gp. sec. post from which
 a Br. Oak 10 in. dia. bears N 61¹/₂ W 7th M.
 & a Do. 8 " " " S 86 E 73 " dist.
 44.64 a Br. Oak 12 " "
 47.00 Enter dry prairie
 79.00 " marsh
 80.00 Set post cor. sec. 27, 28, 33 & 34
 a Br. Oak 10 in. dia. bears S 8¹/₂ E 17th M.
 & a Do. 18 " " " S 35 W 37th "
 S¹/₂ Oak barrens 1st rate soil N¹/₂ is
 dry prairie 2nd rate & nothing —

East On Random between sec. 33 & 34

13.00 Enter Br. Oak barrens
 64.00 " marsh prairie
 80.10 Intersect E line of sec. at post
 2nd rate Br. Oak Barrens gently rolling

West Correct line between sec. 33 & 34

40.05 Set gp. sec. post from which
 a Br. Oak 6 in. dia. bears N 7¹/₂ E 22th M.
 & a " Do. 6 " " " S 49³/₄ E 35th "
 80.10 To the sec. cor. 16 June 1834. —

North Between sections 27 & 28,

38.00 Enter dry prairie
 40.00 Set gp. sec. post from which

291

T. 35 N. R. 5 W. 2nd Mer. Ind.^a

G. L. a Br. Oak 8 in. dia, N 88 E 34 M. dist,
80.00 Set post cor. sec. 21. 22. 27 & 28. in prairie
where raise a mound
S $\frac{1}{2}$ marsh fine marsh grass & N $\frac{1}{2}$
1st rate land dry prairie. grass &

East On Random between sec. 22 & 27
69.00 Enter marsh prairie
80.02 Intersect line E side of sec. 4 M. N. of post
1st rate dry prairie & marsh,

West Correct line between sec. 22 & 27
40.07 Set gr. sec. post in prairie
where raise a mound
80.02 To the sec. corner, (17 June - 1834.)

North Between sections 21 & 22
40.00 Set gr. sec. post in prairie
where raise a mound
80.00 Set post cor. sec. 15. 16. 21 & 22,
where raise a mound
Level 1st rate prairie. grass broken
some fine Hazel bushes.

East On Random between sec. 15 & 22
66.50 Enter marsh prairie
67.78 a Brook 8 M. wide in. S. E,
79.78 Intersect E. line of sec. 20 M. N. of post
2nd rate rolling prairie & marsh grass
Hazel & Willow scattering,

West Correct line between sec. 15 & 22
39.89 Set gr. sec. post in prairie
where raise a mound
79.78 To sec. corner,

T. 35 N. R. 5 W. 2nd Mer. Ind.^a

North Between sections 15 & 16

39.50 Entered marsh prairie

40.00 Set gr. sec. post from which
a Br. Oak 12 in. dia., bears S 75° W 519 lks. dist.,

40.50 To a Branch 5 lks. wide cr. S. W.,

45.00 Entered barrens

62.27 a W. Oak 12 in. dia.,

70.00 Entered heavy timber

74.10 a R. Oak 30 in. dia.,

80.00 Set set post cor. sec. 9. 10. 15 & 16 from wh.
R. Oak 15 in. dia., bears S 82° E 22 lks. dist.,
Oak Howard 8 in. dia., bears S 39° W 11 " "S & E sec. rate prairie gently rolling & N & E
1st rate timber soil Lignu Ash Walnut Oak &c.

East On Random between sec. 10 & 15

34.00 Entered barrens

37.50 To Hickory creek road

48.00 Entered marshy prairie

67.50 a Brook 6 lks. wide cr. S. W.,

79.75 To E. line of sec. 33 lks. N. of post.
W & E 1st rate soil, Timber Sugar, Lignu
Buck. Oak. ash Walnut. E & E 1st rate
Barrens & marsh —

West Correct line between sec. 10 & 15

39.87½ Set gr. sec. post from which
a Br. Oak 10 in. dia., bears S 70° W 82 lks.
La " Do. 20 " " " N 78° E 7790 "

50.23 a Double Gray Ash 40 in. diam.,

61.42 a Lignu 15 in. dia.,

79.75 To sec. corner,

North Between sections 9 & 10

20.12 a Sugar,

29.19 an Elm 36 in. dia.,

T. 35 N. R. 5 W. 2nd. Mer. Ind.?

- 40.00 Set gr. sec. post from which
a Gray Ash 24 in. dia, bears N 26 $\frac{1}{2}$ E 12 $\frac{1}{2}$ th. dist,
+ Lym 36 " " " S 17 $\frac{1}{2}$ W 30 " "
- 45.14 a Sugar 15 in. dia,
- 70.53 " Lym 24 " "
- 80.00 Set post cor. sec. 34. 9x10 from which
a Sugar 12 in. dia, bears N 29 $\frac{1}{2}$ E 13 $\frac{1}{2}$ th. dist,
+ a Do. 12 " " " S 12 $\frac{1}{2}$ W 22 " "
- Land sec. rate soil inclined to be wet
Timbered Beech, Sugar Lym Oak Ash &c,
And. yth. Beech, Sugar Hickory &c.

- East On Random between sec. 3410
- 57.00 Entered marshy prairie
- 68.00 To a Brook 5 th. wide en. S. W,
- 79.80 To E. line of sec. 28 th. N. of post,
W. $\frac{1}{2}$ heavy timbered rich soil
E $\frac{1}{2}$ marsh & 2nd rate timbered land
Undergrowth in timber —

- West Correct line between sec. 3410
- 34.41 a R. Oak 15 in. dia,
- 39.90 Set gr. sec. post from which
a Lym 8 in. dia, bears N 68 E 17 $\frac{1}{2}$ th. dist,
+ a Do. 18 " " " S 79 $\frac{1}{2}$ W 33 " "
- 48.50 a Sugar 24 " "
- 72.14 a Lym 36 " "
- 79.80 To sec. corner,

- North Between Sections 344
- 6.20 a Lym 20 in. dia,
- 25.72 " Sugar 18 " "
- 40.00 Set gr. sec. post from which
a R. Oak 30 in. dia, bears N 47 $\frac{1}{2}$ E 43 $\frac{1}{2}$ th. dist,
+ a Sugar 12 " " " S 58 $\frac{1}{2}$ W 4 " "
- 49.76 a Sugar 30 " "

T. 35 N. R. 5 W. 2nd Mer. Ind^a

69.83	Intersect N. boundary 95 th W. of post, where set post cor. sec. 32 & 34 from which a Beech 12 in. dia. bears S 13 E 24 th dist, To Do. 18 " " " N 42 E W 22 " " Land level timber Sugar Lynn Beech Oak Ash Walnut &c. 18 June 1834
North	Between sections 32 & 33, 40.00 Set gr. sec. post in prairie where raise a mound 80.00 Set post cor. sec. 28, 29, 32 & 33 in prairie where raise a mound 20 chs. E. of this corner is Drew's farm House - 18 chs. W. of line on E E of N. E. gr. of sec. 32 is the farm House of Mr. Winneger. 1 st rate prairie.
East	On Randon between sec. 28 & 33, 79.65 Intersect E. line of sec. 3 1/2 W. of post 1 st rate prairie & gently rolling land
West	Correct line between sec. 28 & 33, 39.82 Set gr. sec. post in prairie where = 79.65 To sec. corner, (- raise mound)
North	Between sections 28 & 29 3.50 To a farm 29.00 " marsh, water 18 in. deep 40.00 Set gr. sec. post from which a B. Oak 12 in. dia. bears S 20 3/4 E 288 th dist, To Do. 12 " " " N 57 W 321 " 65.00 Enter barrens - Hickory & Oak 80.00 Set post cor. sec. 20, 21, 28 & 29 from which a Hickory 6 in. dia. bears S 26 3/4 E 129 th dist, To Do. 6 " " " N 30 3/4 W 336 " S 1/2 1 st rate prairie, N 1/2 marsh & barrens

^{up} T. 35 N. R. 5 W. 2nd Mer. Ind?

East On Randon between sec. 21 & 28,
 11.00 Enter prairie
 45.00 8 chs. S. of line a farm house
 60.00 Enter a marsh
 66.50 Leave Do.
 79.83 To E. boundary of sec. 20 th. S. of pat
 Land 2nd rate prairie & marsh

West Correct line between sec. 21 & 28,
 39.92 $\frac{1}{2}$ Set gp. sec. post in prairie
 where raise a mound
 79.83 To sec. corner,

North Between sections 20 & 21
 27.00 Hickory creek road on W. -
 10 chs. W. of line farm house of Sawyer's
 40.00 Set gp. sec. post from which
 a R. Oak 24 in. dia. bears N 57 $\frac{1}{2}$ E 157 th.
 & an Ash 6 " " " S 53 W 107 "
 45.00 Enter thick timber
 53.43 To a Hickory 18 in. dia.
 64.75 " an Ash 14 " "
 80.00 Set a post cor. sec. 16, 17, 20 & 21
 a Hickory 12 in. dia. bears N 76 E 42 th. dia.
 & an Ash 10 " " " N 76 $\frac{1}{2}$ W 14 " "
 S $\frac{1}{2}$ 1st rate barrens. N $\frac{1}{2}$ rich timbered
 land. Oak Walnut Hickory &

East On Randon between sec. 16 & 21
 40.00 To Oliver's farm & prairie
 80.02 To E. line of sec. 24 th. S. of post
 W $\frac{1}{2}$ rich soil & timber is Sugar Oak
 Walnut, Buck Lyrus, &c. Mud, & ths. -
 Sugar Lyrus. E $\frac{1}{2}$ 1st rate prairie

West Correct line between sec. 16 & 21

T. 35 N. R. 5 W. 2nd Mer. Ind.?

- 40.01 Set gp. sec. post from which
a Br. Oak 18 in. dia, bears N 22° W 124 ft.,
& an Elm 6 " " " N 44° W 143 " rich,
58.72 a Beech 18 " "
64.45 an Elm 18 " "
80.02 To sec. corner — 19th June 1834,

- North Between sections 16 & 17
10.40 a Hickory 10 in. dia,
36.02 " Beech 12 " "
40.00 Set post cor. sec. 8, 9, 16 & 17 from which
a Beech 12 in. dia, bears E — 50 ft. rich,
& Elm 10 " " " N 65° E 137 " "
52.53 an Elm 12 " "
62.47 a Sugar 24 " "
80.00 Set post cor. sec. 8, 9, 16 & 17 — no bearings
S ½ rich soil. Lyrus Sugar. Walnut Elm &c.
Under growth Sugar Lyrus &c. N ½ 2nd rate
soil. Limb. Beech Oak Sugar Elm &c.
Under growth, Beech Sugar &c. dense.

- East On Random between sec. 9 & 16
30.00 To ann. of prairie
49.00 " Timber
80.04 To E. line of sec. 19 ft. S. of post
W ½ Beech & Sugar land E ½ prairie
rich, Timber Oak Aspen Walnut Ash Elm &c.

- West Correct line between sec. 9 & 16
5.75 To an ash 12 in. dia,
25.15 " a Hickory 8 " "
40.00 Set gp. sec. cor. post from which
a R. Oak 24 in. dia, bears N 68° E 161 ft.,
& aspen 14 " " " S 79° E 205 "
66.86 To an ash 20 " "
80.04 To sec. corner,

J. 35 N. B. 5 W. 2nd Mer. Ind.^u

North Between sections 8 & 9

14.50 a K. Oak 10 mi. dia.

14.50 a 16.00 W.N. 10 m. m. m.
40.00 Set gr. sec. post from which

a Beech 40 in. dia., bears 188 $\frac{1}{2}$ W 69 N.

La Do. 24 " " " N 62 $\frac{1}{2}$ E 19 " 2m,

54.48 a Bush 24 " "

62.60 " Do. 24 " "

80.00 Set post env. recd. 4, 5, 8 & 9 from which

a 'W. oak 72 in. dia. bears N 53 E 27 N. pink

Van ash 20 " " " N 37 W 50 " "

Land 2nd rate soil level, timber oak

Beech, Sugar, Hickory Walnut &c

Under Growth Sugar, Beech Hickory &c,

— prairie —

East On Random between sec. 4 & 9

36.00 Enter Maple & Birch swamp

42.00 Leave the " " Do.

80.02 Interest & hire of m.P. at post.

W² sec. rate rolling land, timbered Beech

Auger Oak Fr. Mud. Bush very dense

Gravel rich with Sugar Bush & Yucca etc &c,

West correct line between sec. 4 & 9.

40.07 Set of sec. post from which

a Maple 10 in. dia. heavy S 68 $\frac{1}{4}$ W 12 in.

4 a Burch 12 " " " N56E 38 "

80.02 $\frac{7}{8}$ Sec. corner,

North Between sections 4 & 5

13.72 a Sugar 10 in. dia,

32.11 " Dr. 12 " "

40.00 Set of 100. Sec. post. from which

a Buck 18 in. dia.ears 163 3/4 W 27 Mu. dia.

La Lymn 24 " " " 188 $\frac{1}{2}$ E 10 " "

62.38 an ash 20 " " —

T. 35 N. R. 5 W. 2nd Mer. Ind.

71.81 Put out N. boundary 149 ths. W. of post
where set post cor. Sec. 4 & 5 from which
a H. Oak 30 in. dia. bears S 17° W 16 ths. dist.
& a Hickory 10 " " " S 40° W 46 " "
Land 2nd rate, Limb. Beech Oak Sugar
Alder, Elm &c. mid. growth very dense,
June 20th 1834 -

North Between sections 31 & 32

40.00 Set q^r. sec. post - no bearings

73.50 Enter a marsh

80.00 Set post cor. sec. 29, 30, 31 & 32, round
Land 1st rate rolling prairie, grass &c,
some small Hazel Willow &c.

East On Randon between sec. 29 & 32

79.95 To E. boundary of sec. 26 ths. S. of post
1st rate rolling prairie - grass &c.

West Correct line between sec. 29 & 32

39.94½ Set q^r. sec. post - no bearings -

79.95 To sec. corner,

North Between sections 29 & 30

7.00 Enter Hickory barrens

40.00 Set q^r. sec. post from which
a Hickory 8 in. dia. bears S 84° W 53 ths. dist.
& a Do. 6 " " " N 80° E 43 " "

80.00 Set post cor. sec. 19, 20, 29 & 30 from which
a Hickory 8 in. dia. bears S 52° E 156 ths. dist.
& a Do. 6 " " " N 45° E 156 " "
S ½ 2nd rate rolling land prairie,
scattering Hickory & W. Oak barrens.

East On Randon between sec. 20 & 29

79.82 To the E. line of sec. at post,

T. 35 N. R. 5 W. 2nd Mer. Ind.^o

G. L. Sec. rate land Barrens scattering Hickory Oaks,

West Correct line between sec. 20 & 29
 39.91 Set q^r. sec. post from which
 a Br. Oak 12 in. dia. bears N 87 $\frac{1}{2}$ W 1400 ft.,
 no other given
 79.82 To sec. corner,

North Between sections 19 & 20
 30.00 To Hickory creek road cor. W.
 35.00 Entered W. Oak openings
 40.00 Set q^r. sec. post from which
 a W. Oak 14 in. dia. bears S 54 E 24 ft. dist.
 & a Br. 24 " " " N 81 W 112 " "
 55.64 a R. Oak 20 " "
 60.00 Entered thick timber
 80.00 Set post cor. sec. 17, 18, 19 & 20
 a Sugar 20 in. dia. bears N 43 $\frac{1}{2}$ E 43 ft. dist.
 & a Oak 8 " " " S 21 $\frac{1}{2}$ W 27 " "
 It sec. rate rolling barrens. N $\frac{1}{2}$ 1st rate
 rich timbered land. June 21st 1834.

East On Random between sec. 17 & 20
 30.00 Entered a Lamerac swamp
 37.50 Leave " Do.
 79.85 To E. line of sec. 19 ft. S. of post
 Land 1st rate somewhat inclined to wet,

West Correct line between sec. 17 & 20
 20.10 a Beech
 39.92 Set q^r. sec. post from which
 a Sugar 18 in. dia. bears N 15 E 41 ft. dist.
 & a Spruce 4 " " " S 34 $\frac{1}{2}$ E 39 " "
 41.47 a Hickory 6 " "
 66.34 " Sugar 12 " "
 79.85 To sec. corner,

T. 35 N. R. 5 W. 2nd. New. Ind.^a

North Between sections 17 & 18

- 9.86 an Elm 15 in. dia,
 40.00 Set of sec. post from which
 an Ironwood 6 in. dia. bears S 56 28 W. 28 ft.,
 + a Beech 12 in. dia. bears N 30 W 16 " "
 56.15 a Lym 12 " "
 72.93 " Beech 15 " "
 80.00 Set post cor. sec. 7, 8, 17 & 18 from which
 a Beech 12 in. dia. bears S 36 24 W. 24 ft.,
 + a R. Oak 18 " " " N 20 W 5 " "
 S $\frac{1}{2}$ 1st rate level rich soil N $\frac{1}{2}$ sec. rate
 Sugar Beech Oak Hickory &c.
note. From a cause unknown to me there is
 an apparent difficulty in the needle traversing.

East Over Random between sec. 8 & 17

- 80.07 To E. line of sec. 9, 38 ft. N. of post
 Land sec. rate, timbered Sugar, Beech Lym
 ash Walnut &c. mod. growth Sugar Beech &c.
 Dense, level surface vast quantities of water over
 it owing to recent heavy rains -

West Correct line between sec. 8 & 17

- 34.22 a R. Oak 12 in. dia.,
 40.03 $\frac{1}{2}$ Set of sec. post from which
 a R. Oak 8 in. dia. bears N 48 E 16 ft. 9 in.,
 + a Beech 12 " " " S 65 W 27 " "
 65.27 To a Hickory 18 " "
 80.07 To sec. corner,

North Between sections 7 & 8,

- 7.63 a Gray Ash 12 in. dia.,
 19.48 " Sugar 12 " "
 40.00 Set of sec. post from which
 a Sugar 15 in. dia. bears S 38 W 40 ft. 9 in.,
 + an Elm 24 " " " N - 26 " "

^{up} T 35 N. R. 5 W. 2nd. Moen, Ind^a

- 42.56 a Sugar
 67.63 " Do. 24 in. diam.
 80.00 Set post cor. sec. 5, 6, 7 & 8, from which
 an Elm 6 in. diam. bears S 15 E 15 M. dist.
 & a Do. 6 " " " N 26 E W 34 " "
 1st rate soil gently rolling, Sugar Beech
 Walnut &c. - Needle still labouring under
 cause, to me unknown -

- East On Random between sec. 5 & 8,
 79.80 Intersect E. line of sec. 20 M. N. of post
 W¹/₂ 1st rate gently rolling E²/₂ sec. rate
 level land & wet, Sugar Beech Walnut &c.

- West Correct line between sec. 5 & 8
 19.65 a Sugar 24 in. diam.
 39.90 Set q^r. sec. post from which
 a Beech 24 in. diam. bears S 54 E 29 M. dist.
 & a Hickory 8 " " " N 20 W 29 " "
 51.94 a Sugar 12 " "
 79.80 To sec. corner.
 The needle has been obstructed in
 traversing on this parallel. -
 Hence the convergency & divergency

- North Between sections 5 & 6,
 14.68 a Sugar 20 in. diam.
 29.62 " Beech 8 " "
 72.81 Intersect N. boundary 144 M. W. of post
 & set post cor. sec. 5 & 6 from which
 an Ash 10 in. diam. bears S 5 E 52 M. dist.
 & a R. Oak 18 " " " S 80 W 17 " "
 1st rich soil, timber Sugar Spruce Beech &c.
 N¹/₂ sec. rate, Sugar Spruce Oak Beech &c.
 29th June 1834 -

by T. 35 N. R. 5 W. 2nd. New. Ind.^a

West On Random between Sec. 30 & 31
 11.00 Entered marsh
 16.00 Leave Do.
 35.00 Entered Bur. Oak barrens
 80.86 To the W. boundary 34 ths. N. of post
 a Br. Oak 10 in. dia. bears S 36 $\frac{1}{2}$ E 37 ths. dist.
 To " Do. 6 " " " N 23 E 69 " "
 E $\frac{1}{2}$ 2nd rate rolling prairie W $\frac{1}{2}$ rich level
 & beautiful Br. Oak barrens.

East Correct line between Sec. 30 & 31
 23.79 a Br. Oak 12 in. dia.
 40.86 Set gr. sec. post from which
 a Br. Oak 8 in. dia. bears S 42 W 60 ths. dist.
 To Do. 8 " " " S 24 E 168 " "
 80.86 To sec. corner,

West On Random between Sec. 19 & 30
 41.00 To an improvement & farm house 10 chs. N.
 42.00 Entered heavy timbered barrens
 80.56 Entered W. boundary 8 ths. N. of post
 a R. Oak 16 in. dia. bears N 81 E 37 ths. dist.
 To W. Oak 15 " " " S 68 E 74 " "
 E $\frac{1}{2}$ rolling 2nd rate barrens, W $\frac{1}{2}$ Br. W.
 Oak barrens 2nd rate level & beautiful.

East Correct line between Sec. 19 & 30
 20.50 a Y. Oak 8 in. dia.
 40.56 Set gr. sec. post from which
 a Jack Oak 8 in. dia. bears N 86 W 29 ths. dist.
 To Hickory 6 " " " N 27 $\frac{1}{2}$ W 20 " "
 80.56 To sec. corner,

West On Random between Sec. 18 & 19
 80.26 To the W. boundary 37 ths. N. of post
 a Buck 30 in. dia. bears N 80 E 50 ths. dist.

^{up} T. 35 N. R. 5 W. 2nd Mer. Ind.^a

C. L. a Red Oak 8 in. dia. bears S 16 E 41 lks. dist,
1st rate soil. R. Oak & yew sugar ash &c,

East Correct line between Secs. 18 & 19
10.66 a Hickory 15 in. dia.,
40.26 Set gr. sec. post from which
a Red Oak 18 in. dia. bears N 59 E 32 lks. dist,
To " Do. 24 " " " S 83 W 24 " "
57.86 a Hickory 15 " "
80.26 To Sec. corner,

West On Random between Secs. 7 & 18,
28.00 Enter 2nd rate B. Oak barrens
80.00 Intersect W. boundary 3 lks. N. of post
a Br. Oak bears N 75 E 95 lks. dist,
To W. Oak " S 38 E 198 " "
E 1/2 1st rate timbered land W 1/2 Barrens

East Correct line between Secs. 7 & 18
18.69 a W. - 30 in. dia.,
40.00 Set gr. sec. post from which
a Jack. Oak 4 in. dia. bears S 28 E 80 lks.,
To W. Oak 4 " " " S 28 W 57 "
60.20 a W. Oak 30 " "
69.87 " Do. 15 " "
80.00 To Sec. corner,

West On Random between Secs. 6 & 7
40.00 To W. & B. Oak barrens
80.36 Intersect W. boundary 23 lks. N. of post
a W. Oak 18 in. dia. bears E. 200 lks. dist,
To R. Oak 12 " " " S 50 E 198 " "
E 1/2 1st rate, soil gently rolling & the
timber is W. Oak, Sugar ash Bush Elm,
W 1/2 Sec. 2nd rate barrens. -

T. 35 N. R. 5 W. 2nd Mer. Ind.^a

- East. Correct line between sec. 6 & 7
 12.31 a W. Oak 6 in. dia.
 40.36 Set of sec. post from which
 an aspen 12 in. dia. bears S 25 W 35th,
 to a Do. 10 " " " S 4 E 69 " 8th,
 49.82 To a W. Walnut 10 " "
 80.36 To the sec. corner, 23rd June 1834
 1/4 of this town is muck near 1/2 of which
 is good mowing muck. The timbered land
 when rich is of a superior quality to what
 is generally called rich land. The dry prairie
 is a rich black sand & loam soil,
 Indiana 23rd June 1834 —

I hereby certify that in pursuance of
 a contract with Major B. L. Williams, Sur.
 General, U. States for the states of Ohio
 Indiana & Territory of Michigan, dated
 21st of April 1834 & in strict conformity
 to the laws of the United States & the instru-
 - tions of the Surveyor General, I have
 surveyed & subdivided into sections Town-
 - ship 35 North, Range 5 West, 2nd Meridian
 in the state of Indiana; & I do further
 certify that the foregoing are the true
 and original field notes of said survey
 & subdivision. Executed as aforesaid,
 Certified this 23rd day of June 1834.

Andrew Burnside, Dep. Sur.

Seth May &
 Joseph Hines } Chain men,
 Samuel S. Blair, Marker.

T 35 N. R. 5 W. 2nd. Mer. Ind^a,

Meanders of a Lake in Sec. 6.		Remarks.
Course	C. L.	
S 29 E	10.00	Begin at post in W. boundary
S 73 E	15.00	on S. side of lake -
N 47 E	5.00	
S 62 E	10.00	
N 45 E	10.00	
N 20 W	25.00	
N 40 W	10.00	
N 73 W	5.00	
S 85 W	5.00	
S 75 W	5.00	
S 40 W	5.00	
S 88 W	4.00	(- of lake
N 74 W	1.92	to post in W. boundary, N. side =

I certify that the foregoing transcript of field notes of Township 35 North, Range 5 West, 2nd. Mer. Indiana, has been compared with the original in this office & found to be correct.

William Johnston
Sur. Genl.

Surveyor General's office
Cincinnati, Oct. 4th 1842.